

ideus

NEW PRODUCTS
2026/10

CW NW WW



INDEX: **05077** AMULED

DIAX LED 11W CCT

Ceiling LED light fitting

Light source	SMD LED, in set
Light colour	warm white/neutral white/cold white
Luminous flux	1460 lm
IP	20
Material	steel sheet, PVC
Dimensions [mm]	55 / 260 / 260
Product availability:	Available in stock

CW NW WW



INDEX: **05078** AMULED

DIAX LED 17W CCT

Ceiling LED light fitting

Light source	SMD LED, in set
Light colour	warm white/neutral white/cold white
Luminous flux	2200 lm
IP	20
Material	steel sheet, PVC
Dimensions [mm]	55 / 330 / 330
Product availability:	Available in stock

CW NW WW



INDEX: **05079** AMULED

DIAX LED 22W CCT

Ceiling LED light fitting

Light source	SMD LED, in set
Light colour	warm white/neutral white/cold white
Luminous flux	2820 lm
IP	20
Material	steel sheet, PVC
Dimensions [mm]	55 / 380 / 380
Product availability:	Available in stock

REMOTE: MODE / COLOR / ON/OFF / DIM

SENSOR MUSIC

RGB



INDEX: **05073** AMULED

AMSTER LED 3M 90 RGB SET

SMD LED strip

Light source	90 SMD LED 50x50, in set
Light colour	multicolour
Luminous flux	400 lm
IP	20
Material	FR-4
Dimensions [mm]	3 / 3000 / 10
Product availability:	Available in stock

REMOTE: MODE / COLOR / ON/OFF / DIM

SENSOR MUSIC

IP65

RGB



INDEX: **05074** AMULED

AMSTER LED 3M 90 RGB IP65 SET

SMD LED strip

Light source	90 SMD LED 50x50, in set
Light colour	multicolour
Luminous flux	300 lm
IP	65/20
Material	FR-4
Dimensions [mm]	3 / 3000 / 10
Product availability:	Available in stock

REMOTE: MODE / COLOR / ON/OFF / DIM

SENSOR MUSIC

RGB



INDEX: **05075** AMULED

AMSTER LED 5M 150 RGB SET

SMD LED strip

Light source	150 SMD LED 50x50, in set
Light colour	multicolour
Luminous flux	650 lm
IP	20
Material	FR-4
Dimensions [mm]	3 / 5000 / 10
Product availability:	Available in stock

REMOTE: MODE / COLOR / ON/OFF / DIM

SENSOR MUSIC

IP65

RGB



INDEX: **05076** AMULED

AMSTER LED 5M 150 RGB IP65 SET

SMD LED strip

Light source	150 SMD LED 50x50, in set
Light colour	multicolour
Luminous flux	500 lm
IP	65/20
Material	FR-4
Dimensions [mm]	3 / 5000 / 10
Product availability:	Available in stock



INDEX: **05119** STRÜHM

ARTUS E27 WHITE

Desk lamp

Colour	white
Power	max 40 W
Lampholder type	E27
IP	20
Material	steel sheet, PP, PE
Dimensions [mm]	370 / 150 / 150
Approximate availability date:	29.10.2026



INDEX: **05120** STRÜHM

ARTUS E27 BLACK

Desk lamp

Colour	black
Power	max 40 W
Lampholder type	E27
IP	20
Material	steel sheet, PP, PE
Dimensions [mm]	370 / 150 / 150
Approximate availability date:	29.10.2026

IP65



INDEX: **05092** AMULED

STRO LED 18W NW

Dustproof lighting fitting LED

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	2100 lm
IP	65
Material	polycarbonate PC
Dimensions [mm]	36 / 580 / 52
Product availability:	Available in stock

IP65



INDEX: **05093** AMULED

STRO LED 36W NW

Dustproof lighting fitting LED

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	4520 lm
IP	65
Material	polycarbonate PC
Dimensions [mm]	36 / 1180 / 52
Product availability:	Available in stock

WW NW CW

8W 12W 16W

IP65 IK08



INDEX: **05110** AMULED

HETMAN LED C 8/12/16W WHITE CCT

LED hermetic ceiling light fitting

Light source	SMD LED, in set
Light colour	warm white/neutral white/cold white
Luminous flux	1970 lm
IP	65
Material	polypropylene PP
Dimensions [mm]	55 / 200 / 200
Product availability:	Available in stock

WW NW CW

8W 12W 16W

IP65 IK08



INDEX: **05111** AMULED

HETMAN LED C 8/12/16W BLACK CCT

LED hermetic ceiling light fitting

Light source	SMD LED, in set
Light colour	warm white/neutral white/cold white
Luminous flux	1970 lm
IP	65
Material	polypropylene PP
Dimensions [mm]	55 / 200 / 200
Product availability:	Available in stock

IP65 IK10



INDEX: **05098** AMULED

TAFLA LED 10W BLACK NW

LED floodlight

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	970 lm
IP	65
Material	aluminium alloy cast, polycarbonate PP
Dimensions [mm]	70 / 85 / 30
Product availability:	Available in stock

IP65 IK10



INDEX: **05099** AMULED

TAFLA LED 20W BLACK NW

LED floodlight

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	2050 lm
IP	65
Material	aluminium alloy cast, polycarbonate PC
Dimensions [mm]	85 / 110 / 30
Product availability:	Available in stock

IP65 IK10



INDEX: **05100** AMULED

TAFLA LED 30W BLACK NW

LED floodlight

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	3140 lm
IP	65
Material	aluminium alloy cast, polycarbonate PC
Dimensions [mm]	105 / 140 / 32
Product availability:	Available in stock

IP65 IK10



INDEX: **05101** AMULED

TAFLA LED 50W BLACK NW

LED floodlight

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	5100 lm
IP	65
Material	aluminium alloy cast, polycarbonate PC
Dimensions [mm]	130 / 175 / 35
Product availability:	Available in stock

IP65 IK10



INDEX: **05102** AMULED

TAFLA LED 100W BLACK NW

LED floodlight

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	10500 lm
IP	65
Material	aluminium alloy cast, polycarbonate PC
Dimensions [mm]	190 / 265 / 40
Product availability:	Available in stock

IP65 < 6m sensor



INDEX: **05103** AMULED

TAFLA LED PIR 10W BLACK NW

LED floodlight with a motion sensor

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	970 lm
IP	65
Material	aluminium alloy cast, polycarbonate PC
Dimensions [mm]	150 / 85 / 50
Product availability:	Available in stock

IP65 < 6m sensor



INDEX: **05104** AMULED

TAFLA LED PIR 20W BLACK NW

LED floodlight with a motion sensor

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	2050 lm
IP	65
Material	aluminium alloy cast, polycarbonate PC
Dimensions [mm]	165 / 110 / 50
Product availability:	Available in stock

IP65 < 6m sensor



INDEX: **05105** AMULED

TAFLA LED PIR 30W BLACK NW

LED floodlight with a motion sensor

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	3140 lm
IP	65
Material	aluminium alloy cast, polycarbonate PC
Dimensions [mm]	185 / 140 / 50
Product availability:	Available in stock

IP65 < 6m sensor



INDEX: **05106** AMULED

TAFLA LED PIR 50W BLACK NW

LED floodlight with a motion sensor

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	5100 lm
IP	65
Material	aluminium alloy cast, polycarbonate PC
Dimensions [mm]	220 / 175 / 50
Product availability:	Available in stock

IP65 < 6m sensor



INDEX: **05107** AMULED

TAFLA LED PIR 100W BLACK NW

LED floodlight with a motion sensor

Light source	SMD LED, in set
Light colour	neutral white
Luminous flux	10500 lm
IP	65
Material	aluminium alloy cast, polycarbonate PC
Dimensions [mm]	280 / 265 / 50
Product availability:	Available in stock

ideus

IDEUS Ltd.
Niedźwiedziniec 10
41-506 Chorzów, Poland

Prologis Park, building 4, gate J
www.ideus.pl
export@ideus.pl

